



BLUE STAR



COMMERCIAL  
KITCHEN  
REFRIGERATION

REFRIGERATION SOLUTIONS TO  
HELP YOUR BUSINESS DO BETTER.



**Blue Star Limited** is India's leading air conditioning and commercial refrigeration company with over eight decades of experience in providing expert cooling solutions. The company has introduced a widest range of commercial kitchen products including Reach-ins, Undercounters, Saladettes, Blast Freezers, Back Bar Chillers and Ice Machines. Commercial Kitchens have to make sure that the perishable items they store are in the best condition for human consumption by maintaining the cold and freezing temperatures.

It's a tough ask because the refrigerators have to function nonstop even in the non-functional hours.

Overall, commercial kitchen refrigeration requires a great deal of expertise and quality handling. And that's exactly where we come in.

Blue Star offers a cutting-edge range of models in commercial kitchen refrigeration that are sustainable and known for consuming less power, all thanks to their smart design.

All these products like Reach-in chillers and freezers, Undercounter chillers & freezers, Saladettes and Blast Freezers come with round corners that can be easily cleaned to maintain food in a hygienic condition. The draw type fan in the products has a unique feature with forced air circulation ensuring uniform cooling.

Most importantly they ensure lasting freshness along with low energy bills thereby making Blue Star's Commercial Kitchen Refrigeration Range the ideal choice for hotels, cafes, restaurants and kitchen concepts.



# PROFESSIONAL REFRIGERATION PRODUCTS

Whenever you want fresh to remain fresh.

Commercial refrigeration is our forte, with over thirty years of experience backing us. We have understood the market over the years and are aware that customers look for tools and instruments that are functional, efficient and versatile, the kind that can help in their daily work. So we build products that can meet their needs with ease. By offering reliable, functional and diversified products and applications, we have won their trust and confidence over the years.

## REACH-IN CHILLERS AND FREEZERS

Easy storage meets accurate temperature control.

These products are designed and tested to deliver optimum performance in harsh Indian conditions like high ambient temperature, rough usage, transportation and high humidity. designed by Italian experts and manufactured to strict quality and production standards, these products have been tested at internationally accredited labs. The Controllers used by us are from internationally acclaimed brands. Testing is carried out to bring out the true performance of the product from various standpoints like reliability, transportation conditions to be encountered, electrical fluctuations and the entire life cycle. The stainless steel used is of food grade quality. The inner lining is made with SS304 or SS201 both which makes it safe even if food accidentally comes into contact with the inner surface. These units can also be offered with the option of SS shelves.

### FEATURES



Tropicalised for high ambient temperatures



Eco-friendly refrigerant



Food grade stainless steel unit



Odourless operation due to continuous air circulation



Uniform cooling by forced air circulation



Self-closing doors



Rounded corners



Adjustable tray slides




Auto defrost




Removable gasket for easy cleaning



LED Light for visibility







## Technical Specifications

Description	Reach-in Chillers					
	RC2D700GP	RC4D1450GP	RC2D700GC	RC4D1450GC	RC2D550N*	RC4D1100N*
Capacity (Ltrs)	650	1350	650	1350	600	1200
Temperature Range	0° ~ - + 12°C	0° ~ - + 12°C	0° ~ - + 12°C	0° ~ - + 12°C	0° ~ - + 10	0° ~ - + 10
No. of Doors	2	4	2	4	2	4
Type of Doors (Int/Ext)	22-304/201	22-304/201	22-201/201	22-201/201	SS201/SS201	SS201/SS201
Shelves Qty	3	6	3	6	3	6
Light	Yes	Yes	Yes	Yes	No	No
Refrigerant Gas (Type/Charge)	R290/90g	R290/120g	R290/90g	R290/120g	R290/100g	R290/150g
Voltage & Frequency (V-Hz)	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz	220/240V-50Hz	220/240V-50Hz
Power (Watts)	250	600	250	600	300	490
Current (Amps)	1.3	3.3	1.3	3.3	3.2	5.5
Defrost	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic
Temperature Display LED	Yes	Yes	Yes	Yes	Yes	Yes
External Dimension (W x D X H) mm	700 x 880 x 2043	1400 x 880 x 2043	700 x 880 x 2043	1400 x 880 x 2043	700 x 765 x 1997	1200 x 760 x 1997
Net Weight (kg)	112	190	112	190	85	90
Gross Weight (kg)	122	204	122	204	120	130





## Technical Specifications

Reach-in Freezers						
Description	RF2D700GP	RF4D1450GP	RF2D700GC	RF4D1450GC	RF2D550N*	RF4D1100N*
Capacity (Ltrs)	650	1350	650	1350	600	1200
Temperature Range	-20° ~-7°C	-20° ~-7°C	-20° ~-7°C	-20° ~-7°C	-18° ~-10°C	-18° ~-10°C
No. of Doors	2	4	2	4	2	4
Type of Doors (Int/Ext)	22-304/201	22-304/201	22-201/201	22-201/201	SS201/SS201	SS201/SS201
Shelves Qty	3	6	3	6	3	6
Light	Yes	Yes	Yes	Yes	No	No
Refrigerant Gas (Type/Charge)	R290/115g	R290/120g x 2	R290/115g	R290/120g X 2	R290/110g	R290/150g
Voltage & Frequency (V-Hz)	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz	220/240V-50Hz	220/240V-50Hz
Power (Watts)	522	950	522	950	400	608
Current (Amps)	2.6	4.9	2.6	4.9	4.2	8.9
Defrost	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic
Temperature Display LED	Yes	Yes	Yes	Yes	Yes	Yes
External Dimension (W x D X H) mm	700 x 880 x 2043	1400 x 880 x 2043	700 x 880 x 2043	1400 x 880 x 2043	700 x 765 x 1997	1200 x 760 x 1997
Net Weight (kg)	119	200	119	200	85	90
Gross Weight (kg)	129	214	129	214	120	130



# UNDERCOUNTER CHILLERS AND FREEZERS

High performance comes with a heavy-duty build.

Blue Star's range of Undercounter Chillers and Freezers is ideal for storing pre-mixes and preparation materials. This range comes with an auto door-close mechanism and uses food grade stainless steel to keep food fresh.

These Undercounter Chillers and Freezers provide precise temperatures, are designed aesthetically and built for heavy-duty use.

Also available in the Undercounters range are Pizza Tables, Saladette Range, Sandwich Stations and Chilled Topping Units.



## FEATURES



Tropicalised for  
high ambient temperatures



Eco-friendly refrigerant



Food grade  
stainless steel unit



Odourless operation due to  
continuous air circulation



Uniform cooling by  
forced air circulation



Self-closing doors





## FEATURES



Rounded corners



Adjustable tray slides



Auto defrost



Removable gasket for easy cleaning



Digital temperature indicator



Door options: stainless steel / glass



Adjustable feet






## Technical Specifications

Undercounter Chillers				
Description	UC2100GP	UC3100GP	UC2100GC	UC3100GC
Capacity (Ltrs)	260	400	260	400
Temperature Range	0° ~ - + 12°C	0° ~ - + 12°C	0° ~ - + 12°C	0° ~ - + 12°C
No. of Doors	2	4	2	3
Type of Doors (Int/Ext)	SS-304/201	SS-304/201	SS-201/201	SS-201/201
Shelves Qty	2	3	2	3
Gn Pan	GN2/1	GN2/1	GN2/1	GN2/1
Refrigerant Gas (Type/Charge)	R290/50g	R290/50g	R290/50g	R290/50g
Voltage supply & Frequency (V-Hz)	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz
Max Input Power	255W	255W	255W	255W
Current Amps	1.3	3.3	1.3	3.3
Defrost	Automatic	Automatic	Automatic	Automatic
Thermostat	Digital	Digital	Digital	Digital
External Dimension (W x D X H) mm	1365 x 700 x 850	1805 x 700 x 850	1365 x 700 x 850	1805 x 700 x 850
Net Weight (kg)	96	116	96	116
Gross Weight (kg)	115	142	115	142



## Technical Specifications

Undercounter Freezers				
Description	UC2100GP	UC3100GP	UC2100GC	UC3100GC
Capacity (Ltrs)	260	400	260	400
Temperature Range	-20° ~ - 7°C	-20° ~ - 7°C	-20° ~ - 7°C	-20° ~ - 7°C
No. of Doors	2	4	2	3
Type of Doors (Int/Ext)	SS-304/201	SS-304/201	SS-201/201	SS-201/201
Shelves Qty	2	3	2	3
Gn Pan	GN2/1	GN2/1	GN2/1	GN2/1
Refrigerant Gas (Type/Charge)	R290/140g	R290/140g	R290/140g	R290/140g
Voltage supply & Frequency (V-Hz)	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz
Max Input Power	510W	510W	510W	510W
Current Amps	2.5A	2.5A	2.5A	2.5A
Defrost	Automatic	Automatic	Automatic	Automatic
Thermostat	Digital	Digital	Digital	Digital
External Dimension (W x D X H) mm	1365 x 700 x 850	1805 x 700 x 850	1365 x 700 x 850	1805 x 700 x 850
Net Weight (kg)	106	126	106	126
Gross Weight (kg)	125	152	125	152



# SALADETTES AND SANDWICH STATIONS

Blue Star now introduces Saladettes and Sandwich Stations to its range of products. They are built from stainless steel on the interior as well as exterior to lend great aesthetic appeal and to differ from other models available in the market. A definite boost to the eatery business!

## FEATURES



Easy serviceability



Adjustable feet



High efficiency and functionality



Removable gasket



Green refrigerant



Cyclopentane blowing agent



Self-closing doors



45mm thick insulation



Curved edge for easy cleaning



Digital temperature control



Automatic defrost


## Technical Specifications

Saladettes and Sandwich Stations		
Description	SC2100GA	SC3100GA
Capacity (Ltrs)	260	400
No. of Doors (Nos.)	2	3
Type of Doors (Int/Ext)	SS-201/201	SS-201/201
Temperature Range OC	2° ~ + 8°C	2° ~ + 8°C
Shelves Qty (Nos.)	2	3
Gn Pan	GN2/1	GN2/1
Toppings Pan Slot	YES	YES
Refrigerant Gas (Type/Charge)	R290/55g	R290/60g
Voltage supply & Frequency (V-Hz)	220-240V/50Hz	220-240V/50Hz
Max Input Power	143W	152W
Current Amps	1.1A	1.5A
Defrost	Automatic	Automatic
Thermostat	Digital	Digital
External Dimension (W x D X H) mm	900 x 700 x 990	1365 x 700 x 990
Net Weight (kg)	72	110
Gross Weight (kg)	83	130









# BLAST FREEZERS

Blue Star offers a new range of Blast Freezers ideal for extremely fast chilling needs. These freezers help eliminate contamination from bacteria and maintain the quality of food products. A must-have product for any kitchen, they also prevent any weight loss of food products.

## FEATURES



Internal /external construction made of stainless steel AISI 304



Tropicalised for Indian conditions



Automatic defrosting system with pause



Electronic temperature display



High performance



Time and probe based chiller and freezer temperature setting





## Technical Specifications

Blast Chillers & Freezers			
Description	BF05G	BF10G	BF15G
Cooling Type	Chiller & Freezer	Chiller & Freezer	Chiller & Freezer
Chilling Volume (Kg)	18	34	50
Freezing Volume (Kg)	11	22	38
Phase	Single	Single	Three
Chilling Temp °C	+90°C / +3°C	+90°C / +3°C	+90°C / +3°C
Freezing Temp °C	+90°C / -33°C	+90°C / -33°C	+90°C / -33°C
Prop	1Nos.	1Nos.	1Nos.
Defrost	Automatic	Automatic	Automatic
Temperature Display	Digital	Digital	Digital
Door	Solid Door	Solid Door	Solid Door
Voltage Supply & Frequency (V - Hz)	230V/50Hz	230V/50Hz	400V/50Hz
Max Input Power	1185W	2010W	3820W
Refrigerant Gas (Type/Charge)	R404a/850G	R404a/1600G	R404a/2400G
Shelf	5 Gn1/1	10 Gn1/1	15 Gn1/1
External Dimension (W x D x H) mm	800 x 700 x 900	800 x 780 x 1700	800 x 780 x 2000
Net Weight (Kg)	92	145	175
Gross Weight (Kg)	112	168	185



## BACK BAR CHILLER

Blue Star offers Back Bar Chiller options that can be used at any bar, club and/or restaurant. With glass doors, they provide excellent visibility and are designed to save space. Storage in these chillers ensures great preservation and convenient, ready-to-serve drinks.



## FEATURES



Self-closing doors



Replaceable gasket



Internal LED light for better visibility



Adjustable shelves and feet




Lock fitted as standard



Safety tempered glass and double glazed doors



Digital temperature control






## Technical Specifications

Back Bar Chiller		
Description	BC250A	BC350A
Capacity (Ltrs)	190	320
Cooling Type	Ventilated	Ventilated
No. of Doors (Nos.)	2	3
Type of Doors	Glass Door	Glass Door
Temperature Range °C	1 ~ +10°C	1 ~ +10°C
Shelves Qty/Colour/Adjustable	4 / White	6 / White
Refrigerant Gas (Type/Charge)	R600a/70g	R600a/90g
Voltage Supply & Frequency (V - Hz)	220-240V/50Hz	220-240V/50Hz
Max Input Power	210W	345W
Defrost	Automatic	Automatic
External Dimension (W x D x H) mm	900 x 520 x 900	1350 x 520 x 900
Net Weight (Kg)	62	80
Gross Weight (Kg)	65	87.5





# ICE MACHINES

Ice of any shape. For any occasion.

Ice has diverse usage. A style element for cocktail drinks. A cool bedding for delicacies. A preserver of life saving drugs. This list is as long as it is diverse. And to meet your specific usage requirements of ice in the best possible way, you can always rely on the expert, Blue Star.

## WHY BLUE STAR?

Blue Star, India's leading refrigeration company, collaborates with NTF (Italy), the world's leading ice machines manufacturer, to bring new sophisticated ice-making machines. These machines are hygienic, energy efficient, durable and easy to maintain. Our expertise and domain knowledge give you products according to your requirements. And our extensive service network ensures your machine performs optimally and lives long.

## FEATURES



Power saving design



Auto stop and start



Perfectly shaped ice



Equipped with sprayers for easy cleaning



Water content control



Compact design saves space



Stainless steel body for longer life



Designed for noiseless operation

## BULLET AND SQUARE ICE MAKER

Here's another option to cool your drinks perfectly with bullet and square shaped ice. The ice cube's soft touch, smooth surface and maximum cooling surface make it perfect for all kinds of drinks.


### Technical Specifications

Bullet and Square Ice Makers					
MODEL NAME	ICM-15	ICM-20	ICM-26	ICM-50	ICM-90
Production in 24hrs	15kg	20kg	26kg	50kg	80kg
Store capacity, up to	1.4kg	3.5kg	6kg	10kg	42kg
Cooling System	Air Cooled	Air Cooled	Air Cooled	Air Cooled	Air Cooled
Type of Ice	Bullet ice	Bullet ice	Bullet ice	Bullet ice	Gourmet
Mass of Ice	10g	15g	15g	15g	25g
Refrigerant	R600a	R600a	R600a	R290	R290
Voltage / Frequency / Phase	220-240V-50Hz/1Ph	220-240V-50Hz/1Ph	220-240V-50Hz/1Ph	220-240V-50Hz/1Ph	220-240V-50Hz/1Ph
Rated Power	126W	178W	250W	295W	670W
Product Dimension (WxDxH)	420x465x470 mm	440x530x647 mm	470x585x710 mm	570x665x896 mm	780x650x1045 mm
Net weight	17kg	27kg	33kg	45.5kg	63.5kg











Scan QR Code -  
Blue Star Customer  
Care Mobile App



SMS "SERVICE" to 57575



Download Blue Star Customer  
Care Mobile App from  
App Store & Google Play



To know more about Blue Star, visit  
[www.bluestarindia.com](http://www.bluestarindia.com), email us at  
[coolingsolutions@bluestarindia.com](mailto:coolingsolutions@bluestarindia.com)  
or SMS "COOL" to 57575



**24X7 CUSTOMER CARE**  
(Toll Free) 1800 209 1177  
1860 266 6666

**REGIONAL HEADQUARTERS** • **Chennai:** KRM Plaza, No. 2, Harrington Road, Chetpet, Chennai – 600 031. Phone: (+91) (44) 4244 4000, Fax: (+91) (44) 2836 2101 • **Kolkata:** Eco Centre Business Tower, 11th Floor, Unit No: 1 & 2, Plot No. 4, EM Block, Sector V, Salt Lake, Bidhannagar, Kolkata – 700 091. Phone: (+91) (33) 4081 5400 • **Mumbai:** Blue Star House, 9A, Ghatkopar, Link Road, Sakinaka, Mumbai – 400 072. Phone: (+91) (22) 6668 4000, Fax: (+91) (22) 6668 4004. • **Gurugram:** 6th Floor, Vatika Atrium, Golf Course Road, Sector 53, Gurugram – 122 002 (Haryana). Phone: (+1) (124) 409 4000, Fax: (+91) (124) 409 4004. **SALES AND SERVICE OFFICES** • **Ahmedabad:** 301–302, Abhishree Avenue, Near Nehru Nagar Circle, S M Road, Ambawadi, Ahmedabad 380 015, India. Phone: (+91) (79) 4022 4000. • **Bengaluru:** Anjuman Kay Arr Tower, No 28, Ward No 77, Mission Road, Bengaluru – 560 027. Phone: (+91) (80) 4185 4000, Fax: (+91) (80) 4185 4001. • **Bhubaneswar:** 3A, Satya Nagar, 2nd Floor, Bhubaneswar – 751 007. Phone: (+91) (674) 2572403 / 2573670 / 2570024, Fax: (+91) (674) 257 0544. • **Chandigarh:** Sanjeev Tower, 6th Floor, Plot No. 55, Industrial Area Phase 1, Chandigarh – 160002. Phone: (+91) (172) 415 5100. • **Chennai:** Blue Star Limited, 620, Anna Salai, Model School Road, Chennai – 600 006. Phone: (+91) (44) 4044 4000, Fax: (+91) (44) 4044 4001. • **Coimbatore:** Krisan Workspaces, Mayflower Valencia, 4th Floor, Nava India Rd., Coimbatore, 641004. Phone: (+91) (0422) 4377125, Fax: (+91) (0422) 4377127. • **Goa:** 210, 2nd Floor, Gera's Imperium I, Patto, Panjim, Goa – 403 001. Phone: (+91) (832) 2438171/2437287. • **Guwahati:** Oasis Plaza, 1st Floor, Dr. B. Barooah Road, Ulubari, Kamrup, Guwahati – 781 007, Assam (Opposite Hotel Land Mark). Phone: (+91) (361) 246 8496. • **Hyderabad:** Ashoka Raghupati Chambers, No. 1–10–60 to 64, 4th Floor, S P Road, Begumpet, Hyderabad, Telangana 500 016, India. Phone: (+91) (40) 4400 4000, Fax: (+91) (40) 4400 4001. • **Indore:** Office No. 502, Maloo-01 26/C, Scheme No. 94/C Ring Road, Indore – 452 010. Phone: (+91) (731) 4001211/4001311. • **Jaipur:** A-19, First Floor, Main Sahakar Path, Near Sahakar Bhavan, Jaipur. Phone: (+91) (141) 331 3000, Fax: (+91) (141) 512 4899. • **Kochi:** Prestige TMS Square, 9th Floor, No. 2, Service Road, Padivattom, Edappally, Kochi, Kerala 682024. Phone: (+91) (484) 449 9000, Fax: (+91) (484) 449 9190. • **Lucknow:** 177/4, Faizabad Road, Near IT Metro Station, Lucknow – 226 007. Phone: (+91) (522) 403 4000, Fax: (+91) (522) 403 4004. • **Ludhiana:** Goshawk Rental Space Solutions Pvt. Ltd, BXX-3369, Sandhu Tower 2, 2nd Floor, Gurdev Nagar, Ferozepur Road, Ludhiana – 141001. Phone: (+91) (161) 506 4000. • **Nagpur:** 219 Bajaj Nagar, 1st Floor, South Ambazari Road, Nagpur – 440 010. Phone: (+91) (712) 662 4000, Fax: (+91) (712) 662 4002. • **New Delhi:** Elegance Tower, 1st Floor, Jasola District Centre, New Delhi – 110 025. Phone: (+91) (11) 4149 4000, Fax: (+91) (11) 4149 4004/5. • **Patna:** The Hub, 2nd Floor, Near Regent cinema, Gandhi Maidan Road, Patna – 800004. • **Pune:** 201/A, Nityanand Complex, 247/A Bund Garden Road, Pune – 411 001. Phone: (+91) (20) 4104 4000 / 2616 7230, Fax: (+91) (20) 4104 4001 / 2616 1342. • **Raipur:** MM Silver Plaza, Office No. 103, 1st Floor, Opp Udyog Bhavan, Ring Road No. 1, Raipur – 492 001. Phone: (+91) (771) 428 09000. • **Thane:** Blue Star Limited, Blue Star Innovation Centre, Next to Hotel Vihangs Inn, Kapurbavdi, Ghodbunder Road, Thane West – 400 607 Phone: (+91) (22) 3508 4000 Fax: (+91) (22) 3508 4334. • **Thiruvananthapuram:** TC IV/962, Chandrika, Sree Chitra Nagar, Pipe line Road, Kawdiar, Thiruvananthapuram – 695 003, Phone: (+91) (471) 243 5025, Fax: (+91) (471) 243 4065. • **Vadodara:** INCUSPAZE Office Spaces, 3rd Floor Alembic 1985, Alembic City, Gorwa–Alembic Road, Vadodara – 390003 Phone: (+91) (265) 661 4000 / 265 233 2021/22 Fax: (+91) (265) 233 7516. • **Vijayawada:** No. 40–1–62, Nagas Hafeez Plaza, Opposite to Grand Modern Supermarket, Near BENZ Circle, MG. Road, Vijayawada – 520 010. Phone: (+91) (866) 248 4004, Fax: (+91) (866) 248 4003. • **Visakhapatnam:** Qubexpro Business Centre, V Mall, Lifestyle Building, 4th Floor, Facor Layout, Waltair Uplands, Visakhapatnam – 530003. Phone: (+91) (0891) 6886705.



Blue Star products comply with RoHS regulations as per E-Waste (Management & Handling) Rules, 2016. For disposal of E Waste, kindly visit our website [www.bluestarindia.com](http://www.bluestarindia.com) or call our customer care 1800 209 1177 (Toll Free) or 1860 266 6666.